



CREATING A CLEANER, SAFER, HEALTHIER WORLD.



# **S10**

# INDUSTRIAL-STRENGTH WALK-BEHIND SWEEPER

- The S10 sweeps both open and congested spaces providing cleaning versatility
- Increase productivity with the largest hopper of any walk-behind sweeper; holds up to 150 lb / 68 kg of debris
- Exceptional dust control helps protect facility and employees

# BEST-IN-CLASS WALK-BEHIND SWEEPER: THE IDEAL SOLUTION TO MEET YOUR SWEEPING NEEDS



# SWEEP BOTH OPEN AND CONGESTED SPACES

Compact design enables the operator to efficiently clean both open and congested spaces.

# **CLEAN LONGER**

The S10 features two powerful, 155 amp hour batteries for fume-free, long-running performance, while the ergonomic handle ensures operator comfort.

# LESS MAINTENANCE COST

Reduce maintenance costs with durable, corrosion-proof construction, while the wrap-around bumper protects machine and facility.

# **DELIVER A THOROUGH CLEAN**

Fully variable forward and reverse functions ensure easy maneuverability, in any direction, while exceptional dust control filters down to 3 microns.

# INSIDE THE

# S10



- Large capacity steel hopper free-floating hopper holds up to 150 lb / 68 kg, 2.8 ft<sup>3</sup> / 79 L of debris.
- Dust filtration 49 ft<sup>2</sup> / 4.6 m<sup>2</sup> panel filter captures dust down to 3 microns @ 99% efficiency.
- Mechanical filter shaker automatically timed, circular hammer design.
- Onboard charger plugs into standard 110V outlet. Makes changing easy and accessible.
- **Ergonomic handle** designed for maximum control and comfort; height adjustable with three settings (simple tools required).

# TENNANT*TRUE®* PARTS, SERVICE AND FINANCE SOLUTIONS

- Reduce rework, labor and safety costs by using only Tennant *True* parts and service.
- Ensure optimal cleaning performance by selecting a Tennant *True* Service program.
- Improve uptime by leveraging Tennant True parts and service.

# S10 INDUSTRIAL-STRENGTH WALK-BEHIND SWEEPER

# **SWEEPING SYSTEM**

Cleaning path 34 in / 860 mm

# **BRUSH DRIVE SYSTEM**

Brush speed 550 rpm Main brush length (tubular) 26 in / 660 mm Side brush diameter (disk) 17 in / 430 mm Debris hopper Volume capacity 2.8 ft $^3$  / 79 L Weight capacity 150 lb / 68 kg

# **POWER SYSTEM**

Battery type 24V system, (2) 12V, 155 Ah

### **PROPELLING SYSTEM**

Propelling motor
Propel speed forward (variable to)
Propel speed reverse (variable to)
Propel speed reverse (variable to)

Gradeability
Full hopper
Empty hopper
Full hopper
F

# **DUST CONTROL SYSTEM**

Filter area 49 ft² / 4.6 m²
Shaker mechanism Automatic timed
Vacuum fan motor 1 hp / 0.75 kW
Vacuum fan speed 2,000 rpm
Vacuum fan diameter 9 in / 230 mm

### **MACHINE SPECIFICATIONS**

Sound level (operator's ear)

Length63 in / 1,600 mmWidth36 in / 910 mmHeight37 in / 940 mmHandle in lowest position37.5 in / 940 mmHandle in middle position39.5 in / 1,000 mmHandle in highest position42 in / 1,070 mmWeight599 lb / 272 kgMinimum aisle turn68 in / 1,730 mm

## WARRANTY

See your local representative for warranty information.

Specifications subject to change without notice.



# The Equipment Specialists

**P** +61 8 9249 8744 **F** +61 8 9249 8755

E info@ccequipment.com.au
W www.ccequipment.com.au

4 Stanford Way Malaga Western Australia 6090 PO Box 2438 Malaga Western Australia 6944

73 dBA