












OFTEN IMITATED, NEVER DUPLICATED

The industry standard upright vac with automatic brush-height adjustment

Often imitated, never duplicated.

With a proven reputation of reliability, performance, and ease of maintenance the Sensor® XP is the industry-leading vacuum for reliability and convenience. Featuring automatic brush-height adjustment, this machine efficiently removes soils that could ruin your carpets and hard floors, which saves you time and money. Trust the Windsor Kärcher Group Sensor® XP to clean your floors efficiently and reliably for many years to come. With 1200 watts of power, the Sensor® XP's vacuum motor pulls even more dirt and grime from your carpets. This machine utilizes a single 1.6 hp motor to cut down on handle weight in order to reduce operator fatigue and increase productivity.









1 Reliability leader

- Industry-proven track record of durability and reliability
- We have been building quality upright vacuums since 1979

2 Productivity in mind

- Automatic brush-height adjustment to for optimum cleaning performance
- Ultra-light handle weight allows for strain-free operation
- Cleaning paths of 12", 15" and 18" are available to suit any need
- Flat-to-floor feature allows for easy cleaning under beds and furniture
- No-tool brush removal for easy maintenance
- Detail cleaning tools conveniently located on the back of the machine

3 Breathe easier

- The Sensor® XP comes standard with a high-efficiency filter that traps up 99.6% of particles at 0.3 microns
- Optional HEPA filtration is available
- Meets CRI standards for indoor air quality

4 Smart vacuuming

- Equipped with indicator lights to notify if the vacuum bag is full, brush height needs adjustment, or if there is a brush jam
- Machine shuts down if indicator light are ignored for self-preservation
- Quiet operation at only 69 dBA

Technical specifications and order numbers.











SENSOR® XP 12

SENSOR® XP 15

SENSOR® XP 18

		JENJUK AP 12	JENJUK AF 13	JENJUR AF 10
TECHNICAL SPECIFICATIONS				
Cleaning path	in	12	15	18
Productivity (practical) (XP 12/XP 15/XP 18)	ft²/hr	2,655	3,451	3,659
Dust bag (triple layer)	in³	323	323	323
Brush motor	hp	1.6	1.6	1.6
Brush speed	rpm	2,70	2,700	2,700
Brush contacts per minute	#	5,400	5,400	5,400
Operating noise level	dBA	69	69	69
Power cord	ft	40	40	40
Weight	lbs	18	18	19
Height	in	46	46	46

EQUIPMENT

Order No.	Description
1.012-024.0	Sensor* XP 12, 120 V/60 Hz
1.012-027.0	Sensor* XP 15, 120 V/60 Hz
1.012-030.0	Sensor® XP 18, 120 V/60 Hz

ACCESSORIES

	CLUSORILS	
	Order No.	Description
•	8.600-050.0	Package of 10 Sensor® dust bags
	9.840-643.0	Case of 25 packs of 10 Sensor* dust bags (total count = 250)
	8.600-522.0	Replacement 0.3 micron Sensor* Air Quality MicroFilter
	8.628-485.0	Sensor® HEPA filter kit (includes: filter and 8 high efficiency bags)
	8.614-145.0	Replacement Sensor® exhaust filter for Sensor® XP
	8.614-140.0	Replacement exhaust filter for Sensor® S
	8.600-495.0	Replacement double row brush for Sensor® XP 12 and Sensor® S 12
	8.613-881.0	Replacement double row brush for Sensor* XP 15
	8.613-877.0	Replacement double row brush for Sensor* XP 18
	8.614-243.0	Replacement Sensor® gray handle with cable
	8.614-086.0	Crevice nozzle
	8.613-769.0	Sensor* extension hose
	8.614-090.0	Sensor* demonstration dirt scope
	8.628-474.0	Dusting brush kit, includes: dusting brush and holding clip to mount on handle
	8.625-413.0	Sensor® 12 Soft Vac cover

■ Included □ Optional



The Equipment Specialists

P +618 92498744 ABN 53 780 286 266 E info@ccequipment.com.au W www.ccequipment.com.au

4 Stanford Way Malaga Western Australia 6090 PO Box 2438 Malaga Western Australia 6944