

MATERIAL SAFETY DATA SHEET

Section 1: IDENTIFICATION

RESOLVE

Recommended Use: Heavy duty detergent and sanitiser. **Product Code:** 180028 (3x5L)

Whiteley Industrial

A division of Whiteley Corporation Pty Ltd (A.C.N. 000 906 678) Postal Address: P. O. Box 1076 North Sydney NSW 2059 Telephone Number: (02) 9929 9155 Facsimile: (02) 9929 9077

Web: www.whiteley.com.au

Emergency Telephone Number: Poisons Information Centre (National) 131126

Section 2: HAZARDS

Classified as hazardous by the criteria of Safe Work Australia.

R36/38: Irritating to eyes and skin.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37/39: Wear suitable gloves and eye/face protection.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label

whenever possible).

Section 3: COMPOSITION INFORMATION

IngredientCAS NoProportionIngredients deemed not to be hazardousNot applicableTo 100%Potassium Hydroxide*1310-58-3<10%</td>

Section 4: FIRST AID

Eye (Contact) Hold eyelids apart and flush the eye continuously with running water.

Continue flushing until advised to stop by the Poisons Information Centre or

a doctor, or for at least 15 minutes. Seek medical attention.

Skin (Contact) Remove contaminated clothing and flush skin and hair with running water.

Inhalation(Breathing) Not volatile at room temperatures.

Ingestion (Swallowing) DO NOT induce vomiting. Rinse mouth with water and give water to drink.

Contact a Poisons Information Centre (Phone 131126) or a doctor.

Advice to Doctor Treat symptomatically for highly alkaline solution.

Issue No. 8 Page 1 of 4

^{*} the actual amount of this material is less than 2%.

First Aid Facilities Ensure an eye bath and safety shower are available and ready for use.

Additional Information No aggravated medical conditions are known to be caused by exposure to

this product.

Section 5: FIREFIGHTING MEASURE

Suitable Extinguishing Media Solution does not burn. Use extinguishing media suited to the

materials that are burning. eg. Dry chemical, CO2 or water spray.

Hazards From Combustion

Products

Carbon dioxide, carbon monoxide, nitrogen oxides and other toxic gases may be produced in the case of fire or during thermal

decomposition.

Precautions For Fire Fighters and Special Protective

Equipment

Firefighters must wear full protective clothing including self contained breathing apparatus and chemical splash suit. Ensure that no spillage enters drains or water courses. Remove from the

vicinity containers not involved in the fire.

Additional Information Hazchem Code – Not applicable.

Section 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedure SAA/SNZ HB76: Dangerous Goods – Initial Emergency Response Guide –

Not applicable.

Spills / Clean up For small volumes (approximately less than 1L) - Clean up personnel should

wear full protective clothing. Restrict access to area until completion of cleanup. Stop leak if safe to do so. Contain spill with absorbent material, such as sand, vermiculite or other inert material. Prevent spill entering sewers or waterways. Collect and dispose of spilled material according to local regulations. Wash away remnants with copious amounts of cold water. Clean area by working from the periphery to the centre of spill or from the

edge of the room to the centre.

Section 7: HANDLING AND STORAGE

Precautions for Safe Handling Contact Whiteley Corporation sales representative for advice when

using this product for any application other than that outlined on the

label or technical bulletin.

Any non-intended or non-authorised use of this product may result

in severe personal injuries, or damage to equipment.

Store product in original container.

Wash hands and face thoroughly after handling and before work

breaks, eating, drinking, smoking and using toilet facilities.

Conditions for Safe Storage Store in a cool, dry, well ventilated area away from incompatible

materials. Keep container tightly sealed.

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

National Exposure Standards – Source: National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003].

IngredientCAS NoES-TWAES-STELPotassium Hydroxide1310-58-32mg/m³Not available

Issue No. 8 Page 2 of 4

Biological Limit Values Not available.

Engineering Controls Ensure adequate ventilation to keep airbourne concentrations

below exposure standards.

Personal Protective Equipment







Eye/face protection - Safety glasses or chemical resistant

goggles should be worn to prevent eye contact.

Skin protection - Use nitrile rubber gloves to prevent skin

contact.

Respiratory protection - Respirator is not usually necessary but if product is being used in a confined area where mist is a problem, use a respirator suitable for particulates and alkaline

gases.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance Clear thin violet liquid Boiling Point approximately 100°C

Freezing Point approximately 0°C **Odour** Mild

pH 12.2-13.7 Solubility Soluble in water.

Specific Gravity 1.025-1.045 Flash Point Not Applicable.

Vapour Pressure Not Available. **Upper and Lower Flammability limits (in air)** Not Applicable.

Vapour Density Not Available. **Ignition Temperature** Not Applicable.

Section 10: STABILITY AND REACTIVITY

Chemical Stability Stable under normal ambient storage conditions.

Conditions to avoid Avoid high temperatures (store below 30°C). Protect against

physical damage. Do not store in direct sunlight.

Incompatible materials None known. Do not mix with other chemicals.

Hazardous decomposition products None known.

Hazardous reactions None known.

Section 11: TOXICOLOGICAL INFORMATION

HEALTH EFFECTS

Acute

Swallowed Considered an unlikely route of entry in commercial / industrial environments. May

cause pain, nausea, vomiting and tissue damage in the mouth, throat and stomach.

May cause pain, burning and reddening, Severe damage may result if not treated Eye

immediately.

Skin May cause burns, irritation and redness on contact with skin.

Inhaled Inhalation of mist may cause irritation.

Issue No. 8 Page 3 of 4 Chronic

Swallowed Permanent injury may result. **Eye** Permanent injury may result.

Skin Repeated skin contact may lead to contact dermatitis.

Inhalation No effects known.

TOXICITY DATA

Potassium hydroxide LD₅₀ 273mg/kg (oral, rat) RTECS TT2100000

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity Not available.

Persistence and degradability Not available.

Mobility Not available.

Section 13: DISPOSAL CONSIDERATIONS

Disposal method Refer to State/Territory Land Waste Management Authority. Dispose of

material through a licensed waste contractor. Rinse empty containers

thoroughly before recycling or disposing to an authorised landfill.

Special precautions Normally suitable for incineration by approved agent.

Section 14: TRANSPORT INFORMATION

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code).

UN Number

UN Proper Shipping Name
Class and subsidiary risk
Packing Group
Not applicable

Section 15: REGULATORY INFORMATION

Poisons Schedule (SUSDP): Schedule 5 - CAUTION.

All ingredients are listed in the Australia Inventory of Chemical Substances (AICS).

Section 16: OTHER INFORMATION

Date of preparation: 10th September 2013

© This document remains property of Whiteley Corporation Pty Ltd.

Alterations are not permitted without prior written authorisation from Whiteley

Corporation Pty Ltd.

Issue No. 8 Page 4 of 4