

MATERIAL SAFETY DATA SHEET

Section 1: IDENTIFICATION

TREBLE

Recommended Use: Multipurpose Cleaner. **Product Code:** 200048(3x5L).

Whiteley Industrial

A division of Whiteley Corporation Pty Ltd (A.C.N. 000 906 678) Postal Address: P. O. Box 1076 North Sydney NSW 2059 Telephone Number: (02) 9929 9155 Facsimile: (02) 9929 9077

Web: www.whiteley.com.au

Emergency Telephone Number: Poisons Information Centre (National) 131126

Section 2: HAZARDS

Classified as hazardous by the criteria of Safe Work Australia.

R36/38 Irritating to eyes and skin

S1/2 Keep locked up and out of reach of children

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice

S37/39 Wear suitable gloves and eye/face protection

S45 In case of an accident or you feel unwell, seek medical advice immediately (show the

label whenever possible)

Section 3: COMPOSITION INFORMATION

IngredientCAS NoProportionIngredients deemed not to be hazardousNot applicableTo 100%Potassium Hydroxide*1310-58-3<10%</td>

* the actual amount of this ingredient is less than 1%.

Section 4: FIRST AID

Eye (Contact) Hold eyelids apart and flush the eye continuously with running water.

Continue flushing until advised to stop by the Poisons Information Centre or

a doctor, or for at least 15 minutes.

Skin (Contact) Remove contaminated clothing and flush skin and hair with running water.

Continue flushing with water until advised to stop by the Poisons

Information Centre or a doctor.

Inhalation(Breathing) Not volatile at room temperatures.

Ingestion (Swallowing) DO NOT induce vomiting. For advice, contact a Poisons Information

Centre (Phone 131126) or a doctor.

Issue No. 3 Page 1 of 4

Advice to Doctor Treat symptomatically.

First Aid Facilities Ensure an eye bath and safety shower are available and ready for use.

Additional Information No aggravated medical conditions are known to be caused by exposure to

this product.

Section 5: FIREFIGHTING MEASURE

Suitable Extinguishing Media Use extinguishing media suited to the materials that are burning.

eg. Dry chemical, CO2 or water spray.

Hazards From Combustion

Products

Carbon dioxide, carbon monoxide and other toxic gases may be

produced in the case of fire.

Precautions For Fire Fighters and Special Protective

Equipment

Firefighters should wear full protective clothing including self contained breathing apparatus and chemical splash suit. Ensure that no spillage enters drains or water courses. Remove from the

vicinity containers not involved in the fire.

Additional Information Hazchem Code – Not applicable.

Section 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedure SAA/SNZ HB76: Dangerous Goods – Initial Emergency Response Guide

Not applicable

Spills / Clean up Clean up personnel should wear personal protective equipment (see

below). Restrict access to area until completion of cleanup. Stop leak if safe to do so. Contain spill with absorbent material, such as sand, vermiculite or other inert material. Prevent spill entering sewers or waterways. Collect and dispose of spilled material according to local regulations. Wash away remnants with copious amounts of cold water. Clean area by working from the periphery to the centre of spill or from the

edge of the room to the centre.

Section 7: HANDLING AND STORAGE

Precautions for Safe Handling Contact Whiteley Corporation sales representative for advice

when using this product for any application other than that

outlined on the label or technical bulletin.

Any non-intended or non-authorised use of this product may

result in damage or personal injury. Store product in original container.

Wash hands and face thoroughly after handling and before work

breaks, eating, drinking, smoking and using toilet facilities.

Conditions for Safe Storage Store in a cool, dry, well ventilated area away from incompatible

materials. Keep container tightly sealed.

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

National Exposure Standards – Source: National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003].

<u>Ingredient</u> <u>CAS No</u> <u>ES-TWA</u> <u>ES-STEL</u>

Issue No. 3 Page 2 of 4

MATERIAL SAFETY DATA SHEET

TREBLE

 Potassium Hydoxide
 1310-58-3
 2 mg/m3

 Dipropylene glycol methyl ether
 34590-94-8
 308 mg/m³

 2-Butoxy Ethanol
 111-76-2
 96.9 mg/m³
 242 mg/m³

Biological Limit Values Not available.

Engineering Controls Ensure adequate ventilation to keep airbourne concentrations

below exposure standards. If air contaminant levels exceed exposure limits, respiratory protection is required, see

Personal Protective Equipment.

Personal Protective Equipment

COLON Accept

Eye/face protection - Safety glasses or chemical resistant

goggles should be worn to prevent eye contact.

Skin protection – Use rubber gloves to prevent skin contact.

Respiratory protection – If necessary, use a suitable

respirator.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance Opaque fluorescent I

green liquid

Boiling Point approximately 100°C

Odour Lime odour Freezing Point approximately 0°C

pH 11.0-12.0 **Solubility** Soluble in water.

Specific Gravity 1.014 Flash Point Not Applicable.

Vapour Pressure Not Available. Upper and Lower Flammability limits (in air) Not Applicable.

Vapour Density Not Available. Ignition Temperature Not Applicable.

Section 10: STABILITY AND REACTIVITY

Chemical Stability Stable under normal ambient storage conditions.

Conditions to avoid Avoid high temperatures (store below 30°C). Protect

against physical damage.

Incompatible materialsNone known. Do not mix with other chemicals.

Hazardous decomposition products None known.

Hazardous reactions None known.

Section 11: TOXICOLOGICAL INFORMATION

HEALTH EFFECTS

Acute

Swallowed Considered an unlikely route of entry in commercial / industrial environments. May

cause tissue damage in the mouth, throat and stomach.

Eye Pain and reddening will occur. Severe damage may result if not treated immediately.

Skin Causes irritation, redness and burns on contact with skin.

Inhaled Inhalation of mist may cause irritation.

Issue No. 3 Page 3 of 4

Chronic

Swallowed No effects known.

Eye Permanent injury may result.

Skin Repeated skin contact may lead to dermatitis.

Inhalation Possibility of respiratory damage.

TOXICITY DATA

Potassium Hydroxide LD₅₀ 273mg/kg (oral, rat) RTECS TT2100000

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity Not known.

Persistence and degradability Not known.

Mobility Not known.

Section 13: DISPOSAL CONSIDERATIONS

Disposal method Refer to State/Territory Land Waste Management Authority. Dispose of

material through a licensed waste contractor. Rinse empty containers

thoroughly before recycling or disposing to an authorised landfill.

Special precautions Normally suitable for incineration by approved agent.

Section 14: TRANSPORT INFORMATION

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG

Code).

UN Number

UN Proper Shipping Name
Class and subsidiary risk
Packing Group
Special precautions for user
Hazchem Code

Not applicable.
Not applicable.
Not applicable.
Not applicable.

Section 15: REGULATORY INFORMATION

Poisons Schedule (SUSDP): Schedule 5 - CAUTION

All ingredients are listed in the Australia Inventory of Chemical Substances (AICS).

Section 16: OTHER INFORMATION

Date of preparation: 17th September 2013

© This document remains property of Whiteley Corporation Pty Ltd.

Alterations are not permitted without prior written authorisation
from Whiteley Corporation Pty Ltd.

Issue No. 3 Page 4 of 4