SAFETY DATA SHEET



DEOSTOR ORGANIC

APPLIED PRODUCTS AUSTRALIA PTYLTD

Catalogue number: AP520.05 Version No: 2.1 Issue date: 07/05/2021 Safety Data Sheet according to WHS and ADG requirements

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

| Product name | DEOSTOR ORGANIC |
|--------------|-----------------|
| Product code | AP520.05 |
| Pack sizes | 1L & 5L |

Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses | Odour neutralizing concentrate |
|--------------------------|--------------------------------|
|--------------------------|--------------------------------|

Details of the manufacturer/importer

| Registered company name | APPLIED PRODUCTS AUSTRALIA PTY LTD | |
|-------------------------|---|--|
| Address | 11 Gamma Close, Beresfield 2322 NSW Australia | |
| Telephone | (02) 4966 5516 | |
| Website | www.actichem.com.au | |
| Email | info@actichem.com.au | |

Emergency telephone number

| Association / | Organisation | Poisons Information Centre |
|---------------|--------------------------|----------------------------|
| Emerge | ncy telephone numbers | 13 1126 |
| Other emerge | ncy telephone numbers | Not Available |

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the Model WHS Regulations and the ADG Code.

| Poisons Schedule | Not Applicable | |
|--|--|--|
| GHS Classification Eye Irritation Category 2A, Skin Corrosion Cat 2, Sensitisation – Respiratory Category 1, Sensitisation – Skin Category 1. Flammable Liquid | | |
| | Classification drawn from HCIS and ECHA Inventory. | |

Label elements



SIGNAL WORD DANGER

Hazard statement(s)

| H226 | Flammable liquid and vapour |
|------|--|
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H334 | May cause allergy or asthma symptoms or breathing difficulties |
| H317 | May cause an allergic skin reaction |

This SDS and the hazard classifications contained herein only apply to the product in its concentrated form as supplied. When diluted to 1:25 or more the solution becomes non-hazardous. However, good hygiene and housekeeping practices should be adhered to

Precautionary statement(s) Prevention

| P210 | keep away from heat/sparks/open flames/hot surfaces No smoking | |
|------|---|--|
| P233 | Keep container tightly closed. | |
| P240 | Ground/Bond container and receiving equipment | |
| P241 | Use explosion-proof electrical/ventilating/lighting equipment. | |
| P242 | Use only non-sparking tools. | |
| P243 | Take precautionary measures against static discharge. | |
| P280 | Wear protective gloves and eye protection | |
| P261 | Avoid breathing mists/vapours/spray. | |
| P262 | Do not get in eyes, on skin or on clothing. | |
| P264 | Wash thoroughly after handling. | |
| P273 | Avoid release to the environment. | |
| P272 | Contaminated work clothing should not be allowed out of the workplace | |
| P285 | In case of inadequate ventilation wear respiratory protection | |

Precautionary statement(s) Response

| P303+P361+P353+P333+P313 | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Wash with plenty of water and soap. If skin irritation or rash occurs, get medical advice / attention. | |
|--------------------------|---|--|
| P313+P310+P351+P338 | IN EYES: Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue sing. | |
| P304+P341+P342+P311 | IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTRE or doctor. | |
| P370+P378 | 778 In case of fire: Use alcohol resistant foam or normal protein foam for extinction. | |
| P363 | Wash contaminated clothing before reuse. | |

Precautionary statement(s) Storage

| , , , | ¹ | |
|--|--|--|
| P403+P235 | Store in a well-ventilated place. Keep cool. | |
| Precautionary statement(s) Disposal | | |
| P501 Dispose of contents / container in accordance with local government regulations | | |
| | | |

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures.

Mixtures

| CAS No | %[weight] | Name |
|--------------|-----------|-----------------------|
| 67-63-0 | 10-<30% | isopropanol |
| 64-17-5 | <10 | ethanol-; |
| Trade secret | <10% | proprietary fragrance |
| 57-55-6 | <10 | propylene glycol |

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 FIRST AID MEASURES

| Description of first aid measures | |
|-----------------------------------|---|
| Eye Contact | If this product comes in contact with the eyes: Seek medical attention without delay. Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
| Skin Contact | If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. |
| Inhalation | If vapours or spray are inhaled remove from contaminated area into fresh air. If breathing is difficult obtain medical advice/attention without delay. |
| Ingestion | Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |

Indication of any immediate medical attention and special treatment needed.

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

Extinguishing media

Use alcohol resistant foam or normal protein foam for extinction

Special hazards arising from the substrate or mixture.

| Fire incompatibilities | Avoid contamination with oxidising agents | |
|--|--|--|
| Advice for firefighters | | |
| Fire fighting | Alert Fire Brigade and tell them location and nature of hazard. May be violently or explosively reactive. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water course. Consider evacuation (or protect in place). Fight fire from a safe distance, with adequate cover. If safe, switch off electrical equipment until vapour fire hazard removed. Use water delivered as a fine spray to control the fire and cool adjacent area. Avoid spraying water onto liquid pools. Do not approach containers suspected to be hot | |
| Fire/Explosion Hazard Contains low boiling substance: Closed containers may rupture due to pressure buildup under fire conditions. Liquid and vapour are highly flammable. Severe fire hazard when exposed to heat, flame and/or oxidisers. Vapour may travel a considerable distance to source of ignition. Heating may cause expansion or decomposition leading to violent rupture of containers. On combustion, may emit toxic fumes of carbon monoxide (CO), carbon dioxide (CO2) and other pyrolysis products typical of burning organic material | | |
| HAZCHEM | HAZCHEM 3Y | |

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| Minor Spills | Minor environmental hazard - contain spillage. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal. |
|--------------|--|
| Major Spills | Minor environmental hazard - contain spillage. Wear eye protection plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations. Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively h a n d l e. |
| PPE | Personal Protective Equipment advice is contained in Section 8 of the SDS. |

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

| Safe handling | Wear respiratory protection and eye protection when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. |
|-------------------|--|
| Other information | |

Conditions for safe storage, including any incompatibilities.

| Suitable container | Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. |
|-------------------------|---|
| Storage incompatibility | Avoid reaction with oxidising agents |

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

| Source | Ingredient | Material name | TWA | STEL | Peak | Notes |
|------------------------------|--------------------|-------------------|-----------------------|----------------------|---------------|---------------|
| Australia Exposure Standards | isopropanol | Isopropyl alcohol | 683 mg/m3/ 400 ppm | 1230 mg/m3 / 500 ppm | Not Available | Not Available |
| Australia Exposure Standards | ethanol, denatured | Ethyl alcohol | 1880 mg/m3 / 1000 ppm | Not Available | Not Available | Not Available |
| Australia Exposure Standards | Propylene glycol | Propane-1,2-diol | 474 mg/m3/150ppm | Not Available | Not Available | Not Available |

EMERGENCY LIMITS

| Ingredient | Material name | TEEL-1 | TEEL-2 | TEEL-3 |
|--------------------|-------------------|-----------------|---------------|---------------|
| isopropanol | Isopropyl alcohol | 400 ppm | 400 ppm | 12,000 ppm |
| ethanol, denatured | Ethyl alcohol | Not available | Not available | Not available |
| | | | | |
| Ingredient | Original IDLH | Revised IDLH | | |
| isopropanol | 12,000 ppm | 2,000 [LEL] ppm | | |
| ethanol, denatured | 15.000 ppm | 3,3000[LEL] ppm | | |

Exposure controls

| Appropriate engineering controls | Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. If ventilation is poor, then the use of a local exhaust ventilation system is recommended |
|----------------------------------|---|
| Personal protection | |
| Eye and face protection | Safety glasses with side shields OR Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation. Lens should be removed in a clean environment only after workers have washed hands thoroughly. |
| Skin protection | See Hand protection below |
| Hands/feet protection | It is good practice to wear protective gloves when handling chemicals. Neoprene gloves are recommended for this application. |
| Body protection | See Other protection below |
| Other protection | Eye wash unit. |
| Thermal hazards | Not Available |

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Appearance | Clear liquid | | |
|--|-------------------|--|---------------|
| | • | | |
| Physical state | Liquid | Relative density (Water = 1) | Not Available |
| Odour | Strongly fragrant | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Available |
| pH (as supplied) | 7 - 8 | Decomposition temperature | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol) | Not Available |
| Flash point (°C) | >23°C | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Flammable | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Applicable | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit(%) | Not Applicable | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water (g/L) | Complete | pH as a solution (1%) | Not Available |
| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |

SECTION 10 STABILITY AND REACTIVITY

| Reactivity | See section 7 |
|-------------------------------------|--|
| Chemical stability | Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur. |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

| Inhaled | The material is not thought to produce adverse health effects of the respiratory tract (as classified by EC Directives using animal models). However it is, good hygiene practice for exposure be kept to a minimum and that suitable control measures be used in an occupational setting. |
|--------------|--|
| Ingestion | The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. This is because of the lack of corroborating animal or human evidence. |
| Skin Contact | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. |
| Eye | This material can cause eye irritation in some persons.Eye contact may cause tearing or blurring |
| Chronic | No relative data is listed. |

Toxicological effects of ingredients

| accelegical checks of high | | |
|----------------------------|--|---|
| isopropanol | Acute toxicity | Oral LD50 (rat) 5045 – 5840 mg/kg Dermal LD50 (rabbit) 12800 mg/kg Inhalation LC50 (rat) 16000 ppm/8h |
| | Skin corrosion/irritation | May be irritating to skin |
| | Eye damage/irritation | Causes serious eye irritation |
| | Respiratory/skin sensitization | Not expected to be a sensitizer |
| | Germ cell mutagenicity | Not considered to be a mutagenic hazard |
| | Carcinogenicity | Not considered to be a carcinogenic hazard. |
| | Reproductive toxicity | Not considered to be toxic to reproduction |
| | STOT (single exposure) | May cause drowsiness or dizziness |
| | STOT (repeated exposure) | Not expected to cause toxicity to a specific organ |
| | Aspiration toxicity | Not expected to be an aspiration hazard |
| ethanol | Acute toxicity | Oral LD50 (mouse) 3450 mg/kg Inhalation LC50 (rat) 2000 ppm/10hrs |
| o manor | Skin corrosion/irritation | Irritating to skin. Prolonged contact may result in drying and defatting of the skin, rash and dermatitis. |
| | Eye damage/irritation | Irritating to eyes. Exposure may result in lacrimation, irritation, pain and redness |
| | Respiratory/skin sensitization | No Data Available |
| | Germ cell mutagenicity | No Data Available |
| | Carcinogenicity | No Data Available |
| | Reproductive toxicity | No Data Available |
| | STOT (single exposure) | No Data Available |
| | STOT (repeated exposure) | Chronic ingestion may result in cirrhosis of the liver |
| | Aspiration toxicity | No Data Available |
| | | |
| proprietary fragrance | Acute toxicity | No relevant data |
| | Skin corrosion/irritation | Causes skin irritation |
| | Eye damage/irritation | Causes serious eye irritation |
| | Respiratory/skin sensitization | May cause allergy or asthma symptoms or breathing difficulties./ May cause an allergic skin reaction |
| | Germ cell mutagenicity | No mutagenic component identified |
| | Carcinogenicity | No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by OSHA |
| | Reproductive toxicity | Possible reproductive hazard |
| | STOT (single exposure) | May cause respiratory irritation. |
| | STOT (repeated exposure) | None known |
| | Aspiration toxicity | Not classified. |
| propylene glycol | Acute toxicity | Oral LD50 (rat) >20000 mg/kg Dermal LD50 (rabbit) >2000 mg/kg Inhalation LC50 (rabbit) >20 mg/L/4hr |
| , ., | Skin corrosion/irritation | May be irritating |
| | Eye damage/irritation | May be an eye irritant |
| | Respiratory/skin sensitization | No data available |
| | Germ cell mutagenicity | Not mutagenic |
| | Carcinogenicity | Non-carcinogenic based on animal studies |
| | Reproductive toxicity | No reproductive or developmental effects. |
| | · · · · · · · · · · · · · · · · · · · | |
| | STOT (single exposure) | May cause respiratory irritation |
| | STOT (single exposure) STOT (repeated exposure) | May cause respiratory irritation High doses in diet showed a decrease in red blood cells survival rate |

SECTION 12 ECOLOGICAL INFORMATION

| | itv |
|--|-----|
| | |

| | Endpoint | Duration (Hr.) | Species | Value |
|--------------------|-----------|----------------|-------------------------------|-------------------|
| isopropanol | LC50 | 96 | Fish | 9-640mg/L |
| | EC50 | 48 | Crustacea | 12500mg/L |
| | EC50 | 72 | Algae or other aquatic plants | >1000mg/L |
| | EC0 | 24 | Crustacea | 5-102mg/L |
| | NOEC | 504 | Crustacea | =30mg/L |
| ethanol, denatured | LC50 | 96 | Fish | 42-mg/L |
| | EC50 | 48 | Crustacea | 2-mg/L |
| | EC50 | 96 | Algae or other aquatic plants | -8.358-26.503mg/L |
| | EC10 | 168 | Algae or other aquatic plants | 1.91-mg/L |
| | NOEC | 2016 | Fish | 0.000375-mg/L |
| propylene glycol | EC50 | 48h | Crustacea | >0.342mg/L |
| | LC50 | 96h | Fish | >10000mg/l |
| | EC50 | 96h | Algae or other aquatic plants | 19000mg/l |
| | NOEC(ECx) | 336h | Algae or other aquatic plants | <5300mg/l |

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|------------------|-----------------------------|-----------------------------|
| isopropanol | LOW (Half-life = 14 days) | LOW (Half-life = 3 days) |
| ethanol | LOW (Half-life = 2.17 days) | LOW (Half-life = 5.08 days) |
| propylene glycol | LOW | LOW |

Bio accumulative potential

| Ingredient | Bioaccumulation | |
|------------------|----------------------|--|
| isopropanol | LOW (BCF = 130) | |
| ethanol | LOW (LogKOW = -0.31) | |
| propylene glycol | LOW (BCF = 1) | |

Mobility in soil

| Ingredient | Mobility |
|------------------|-------------------|
| isopropanol | HIGH (KOC = 1.06) |
| ethanol | HIGH (KOC = 1) |
| propylene glycol | HIGH (KOC = 1) |

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

| Product / packaging disposal | Recycle containers whenever possible. Product residues and containers should be disposed of in accordance with local government regulations |
|------------------------------|--|

SECTION 14 TRANSPORT INFORMATION

| Labels Required | | |
|------------------|----|--|
| Marine Pollutant | NO | |
| HAZCHEM | 3Y | |

Land transport (Not Applicable): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS IN PACK SIZES OF 5L OR LESS

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

ISOPROPANOL IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

ETHANOL, DENATURED IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australian Inventory of Industrial Chemicals (AIIC)

PROPYLENE GLYCOL IS FOUND ON THE FOLLOWING REGULATORY LISTS

07/05/2021

2.1

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5 Australian Inventory of Industrial Chemicals (AIIC)

SECTION 16 OTHER INFORMATION

Revision Schedule

| Revision Date | 07/05/2021 | |
|---------------------|------------|------------------|
| Initial Date | 01/10/2019 | |
| SDS Version Summary | | |
| Version | Issue Date | Sections Updated |

Sections 2, 3, 11, 12, 15, 16 have been updated or corrected

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources such as the ECHA C&L Chemical Inventory, HSNO (CCID) New Zealand, AICIS and HCIS Australia

DISCLAIMER: While the information in this Safety Data Sheet (SDS) is believed to be true and accurate based on the current level of knowledge available to us, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of APPLIED PRODUCTS AUSTRALIA PTY LTD and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to its use in combination with other materials, products, chemical compounds, structures, or processes.

Definitions and abbreviations

| PC-TWA; | Permissible Concentration-Time Weighted Average |
|----------|---|
| PC-STEL: | Permissible Concentration-Short Term Exposure Limit |
| IARC: | International Agency for Research on Cancer |
| ACGIH: | American Conference of Government Industrial Hygienists |
| STEL: | Short Term Exposure Limit |
| TEEL: | Temporary Emergency Exposure Limit |
| IDLH: | Immediate Danger to Life or Health Concentrations |
| OSF: | Odour Safety Factor |
| NOAEL: | No Observed Effects Level |
| TLV: | Threshold Limit Value |
| LOD: | Limit Of Detection |
| OTV: | Odour Threshold Value |
| BCF: | Bio Concentration Factors |
| BEI: | Biological Exposure Index |

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permissionfrom Applied Products Australia Pty Ltd.

End of SDS