# **SAFETY DATA SHEET**



## **CRETE CLEAN**

# APPLIED PRODUCTS AUSTRALIA PTYLTD

Catalogue number: AP139 Version No: 2.1 Issue date: 21/10/2020

Safety Data Sheet according to WHS and ADG requirements

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

### **Product Identifier**

Product name	CRETE CLEAN
Product code	AP139
Pack sizes	5L & 15L

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Proprietary cement residue removal compound

#### Details of the supplier of the safety data sheet

Registered company name	APPLIED PRODUCTS AUSTRALIA PTY LTD			
Address	11 Gamma Close, Beresfield 2322 NSW Australia			
Telephone	(02) 4966 5516			
Website	www.actichem.com.au			
Email	info@actichem.com.au			

### **Emergency telephone number**

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 1126
Other emergency telephone numbers	02 4966 5516

## **SECTION 2 HAZARDS IDENTIFICATION**

## Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the Model WHS Regulations and the ADG Code.

Poisons Schedule	5
GHS Classification	Skin Corrosion/Irritation Category 2, Serious Eye Damage Category 1, Skin Sensitizer Category 1B
	Classification drawn from HCIS and ECHA C&L Inventory.

### Label elements

Hazard pictograms





SIGNAL WORD	DANGER

## Hazard statement(s)

` '	
H315	Causes skin irritation
H318	Causes serious eye damage
H317	May cause allergic skin reaction

## Precautionary statement(s) Prevention

P260	Do not breathe mist / vapours / spray.
P280	Wear protective gloves / protective clothing / eye protection / face protection.
P272	Contaminated work clothing should not be allowed out of the workplace

Product Code: AP139 Version No: 2.1

### Precautionary statement(s) Response

P301+P310+P330+P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.
P303+P310+P361+P353	IF ON SKIN (or hair): Immediately call a POISON CENTER or doctor. Take off immediately all contaminated dothing. Rinse skin with water/shower.
P305+P310+P351+P338	IF IN EYES: Immediately call a POISON CENTER or doctor. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P310+P340	IF INHALED: Immediately call a POISON CENTER or doctor. Remove person to fresh air and keep at rest in a position comfortable for breathing.
P333+P313	If skin irritation or rash occurs, Get medical advice/attention
P363	Wash contaminated clothing before reuse.

### Precautionary statement(s) Storage

P405 Store locked up

## Precautionary statement(s) Disposal

P501 Dispose of content / container in accordance with local regulations

### **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

#### Substances

See section below for composition of Mixtures

#### **Mixtures**

CAS No	%[weight]	Name
506-89-8	>60	urea hydrochloride
n/a	<10	proprietary compound
n/a	1	proprietary acid inhibitor

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

## **SECTION 4 FIRST AID MEASURES**

### Description of first aid measures

Eye Contact	If this product comes in contact with the eyes:  Seek medical advice / attention without delay.  Immediately hold eyelids apart and flush the eye continuously with running water.  Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.  Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.  If necessary, transport to hospital or doctor without delay.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: Seek medical advice / attention without delay. Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. If necessary, transport to hospital, or doctor.
Inhalation	If furnes or combustion products are inhaled remove from contaminated area.  Lay patient down. Keep warm and rested.  Seek medical advice / attention without delay.  Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.  Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.  If necessary, transport to hospital, or doctor, without delay.
Ingestion	For advice, contact a Poisons Information Centre or a doctor at once.  Urgent hospital treatment is likely to be needed.  If swallowed do NOT induce vomiting.  If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.  Observe the patient carefully.  Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.  Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.  Transport to hospital or doctor without delay.

## Indication of any immediate medical attention and special treatment needed

# INGESTION:

- ▶ Immediate dilution (milk or water) within 30 minutes post ingestion is recommended.
- ▶ DO NOT attempt to neutralise the acid since exothermic reaction may extend the corrosive injury.
- ▶ Be careful to avoid further vomit since re-exposure of the mucosa to the acid is harmful. Limit fluids to one or two glasses in an adult.
- ▶ Charcoal has no place in acid management.
- ▶ Some authors suggest the use of lavage within 1 hour of ingestion.

### SKIN:

- > Skin lesions require copious saline irrigation. Treat chemical burns as thermal burns with non-adherent gauze and wrapping.
- ▶ Deep second-degree burns may benefit from topical silver sulfadiazine.

# EYE:

- Eye injuries require retraction of the eyelids to ensure thorough irrigation of the conjunctival cul-de-sacs. Irrigation should last at least 20-30 minutes. DO NOT use neutralising agents or any other additives. Several litres of saline are required.
- Cycloplegic drops, (1% cyclopentolate for short-term use or 5% homatropine for longer term use) antibiotic drops, vasoconstrictive agents or artificial tears may be indicated dependent on the severity of the injury.

Product Code: AP139 Version No: 2.1

### **SECTION 5 FIREFIGHTING MEASURES**

					ed	

Extinguishing media

There is no restriction on the type of media that may be used. Use media suitable for the surrounding environment

#### Special hazards arising from the substrate or mixture

Fire incompatibilities

Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleach, pool chlorine etc. as ignition may result

## Advice for firefighters

Fire Fighting

Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use firefighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot.

Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire.

Equipment should be thoroughly decontaminated after use.

Fire/Explosion Hazard

Combustion may release toxic fumes of carbon dioxide (CO2), hydrogen chloride, phosgene, nitrogen oxides (NOx), and other pyrolysis products typical of burning organic material may emit corrosive fumes

HAZCHEM Not Applicable

### **SECTION 6 ACCIDENTAL RELEASE MEASURES**

### Personal precautions, protective equipment and emergency procedures

Minor Spills

Clean up all spills immediately. Avoid breathing vapours/ aerosols/ or dusts and avoid contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite.

Place in a suitable, labelled container for waste disposal.

Major Spills

Wear breathing apparatus plus protective gloves Prevent, by any means available, spillage from entering drains or water course.

Stop leak if safe to do so.

Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations.

Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle

Personal protective equipment advice is contained in Section 8 of this SDS

## **SECTION 7 HANDLING AND STORAGE**

## Precautions for safe handling

 $\ensuremath{\mathbf{DO}}\ \ensuremath{\mathbf{NOT}}$  allow clothing wet with material to stay in contact with skin

Avoid all personal contact.

Safe handling

Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials.

When handling, DO NOT eat, drink or smoke Keep containers securely sealed when not in use. Avoid physical damage to containers.

Other information

Suitable containers

Conditions for safe storage, including any incompatibilities

Polyliner drum.

Packing as recommended by manufacturer.

Check all containers are clearly labelled and free from leaks. DO NOT use aluminium or galvanised containers

Plastic pail.

Storage incompatibility

Reacts with mild steel, galvanised steel / zinc producing hydrogen gas which may form an explosive mixture with air.

Avoid strong bases

Avoid reaction with oxidising agents

### **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

## **Control parameters**

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

**EMERGENCY LIMITS** 

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
urea hydrochloride	urea hydrochloride	Not Available	Not Available	Not Available

Ingredient	Original IDLH	Revised IDLH
urea hydrochloride	Not Available	Not Available

Product Code: **AP139** Version No: **2.1** 

### **Exposure controls** Appropriate engineering Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. controls If ventilation is poor, then the use of a local exhaust ventilation system is recommended. Personal protection Chemical goggles. Full face shield may be required for supplementary but never for primary protection of eyes. Eye and face protection Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation. Lens should be removed in a clean environment only after workers have washed hands thoroughly. Skin protection Hands/feet protection Elbow length chemical gloves. Butyl, PE/EVAL/PE or Saranex 23 are recommended for this application. **Body protection** When handling corrosive liquids it is good practice to wear overall legs outside of boots to prevent liquids entering boots. P.V.C. apron. Barrier cream. Other protection Skin cleansing cream. Eye wash unit. Thermal hazards Not Available

## **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

## Information on basic physical and chemical properties

Appearance	Clear green liquid		
Physical state	Liquid	Relative density (Water = 1)	1.2
Odour	Not Available	Molecular weight (g/mol)	Not Available
Odour threshold	Not Available	Auto-ignition temperature(°C)	Not Applicable
pH (as supplied)	<1	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Initial boiling point and boiling range °C)	Not Available	Partition coefficient n- octanol /water	Not Available
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Flammable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Viscosity (cSt)	Not Available
Lower Explosive Limit(%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

## **SECTION 10 STABILITY AND REACTIVITY**

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

Product Code: **AP139** Version No: **2.1** 

## **SECTION 11 TOXICOLOGICAL INFORMATION**

## Information on toxicological effects

Inhaled	The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage.		
Ingestion	Ingestion of acidic corrosives may produce burns around and, in the mouth,, the throat and oesophagus. Immediate pain and difficulties in swallowing and speaking may also be evident.		
Skin Contact	Open cuts, abraded or irritated skin should not be exposed to this material  Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.  This material can cause inflammation of the skin on contact in some persons.		
Eye	The material can produce chemical burns to the eye following direct contact. Vapours or mists may be extremely irritating.  If applied to the eyes, this material causes severe eye damage.		
Chronic	Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems.  Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.		

## Toxicological effects of ingredients

	Urea hydrochloride	No data
Acute toxicity	Proprietary compound	Oral (calculated) 556 mg/kg Dermal (rabbit) >2000mg/kg
	Proprietary acid inhibitor	No data
	Urea hydrochloride	Irritating
Skin corrosion/irritation	Proprietary compound	May be irritating
	Proprietary acid inhibitor	May cause severe irritation
	Urea hydrochloride	Irritating
Eye damage/irritation	Proprietary compound	Causes serious eye damage
, -	Proprietary acid inhibitor	Severely irritating to the eyes and may cause permanent damage including burns and blindness
	Urea hydrochloride	No data
Respiratory/skin sensitization	Proprietary compound	Not expected to be sensitizer
Sensitization	Proprietary acid inhibitor	May cause allergic skin reactions
	Urea hydrochloride	No data
Germ cell mutagenicity	Proprietary compound	Not mutagenic
,	Proprietary acid inhibitor	No data
	Urea hydrochloride	No data
Carcinogenicity	Proprietary compound	Not carcinogenic
	Proprietary acid inhibitor	Not carcinogenic
	Urea hydrochloride	No data
Reproductive toxicity	Proprietary compound	Not considered to be toxic to reproduction
	Proprietary acid inhibitor	No data
	Urea hydrochloride	No data
STOT (single exposure)	Proprietary compound	Not expected to be toxic to a specific organ
	Proprietary acid inhibitor	No data
	Urea hydrochloride	No data
TOT (repeated exposure)	Proprietary compound	Not expected to be toxic to a specific organ
	Proprietary acid inhibitor	No data
	Urea hydrochloride	No data
Aspiration toxicity	Proprietary compound	Not expected to be an aspiration hazard
	Proprietary acid inhibitor	No data

## **SECTION 12 ECOLOGICAL INFORMATION**

## Toxicity

### Ecotoxicity:

Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.

	Endpoint	Test duration (hr.)	Species	Value
Urea Hydrochloride	No available data	No available data	No available data	No available data
Proprietary compound	LC50	96	Fish	1-10 mg/l
	EC50	48	Daphnia	1-10 mg/l
	EC50	72	Algae	1-10 mg/l
Proprietary acid inhibitor	No available data	No available data	No available data	No available data

Product Code: AP139 Version No: 2.1

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No data available for any of the ingredients	

#### Bio accumulative potential

Ingredient	Bioaccumulation
	No data available for any of the ingredients

## Mobility in soil

Ingredient	Mobility
	No data available for any of the ingredients

### **SECTION 13 DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Product / packaging disposal  Recycle containers whenever possible.  Product residues and containers should be disposed of in accordance with local government regulations
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### **SECTION 14 TRANSPORT INFORMATION**

#### Labels Required

·	
Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

### **SECTION 15 REGULATORY INFORMATION**

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

## UREA HYDROCHLORIDE (506-89-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

### **SECTION 16 OTHER INFORMATION**

### Revision Schedule

Revision Date	21/10/2020
Initial Date	18/11/2016

## SDS Version Summary

Version	Issue Date	Sections Updated
2.1	21/10/2020	Sections 2,3,8,11,12,14,15,16 have been updated or corrected

## Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources such as the ECHA C&L Chemical Inventory, HSNO (CCID) New Zealand, AICIS and HCIS Australia

DISCLAIMER: While the information in this Safety Data Sheet (SDS) is believed to be true and accurate based on the current level of knowledge available to us, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of APPLIED PRODUCTS AUSTRALIA PTY LTD and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures, or processes

## Definitions and abbreviations

PC-TWA; Permissible Concentration-Time Weighted Average
PC-STEL: Permissible Concentration-Short Term Exposure Limit
IARC: International Agency for Research on Cancer
ACGIH: American Conference of Government Industrial Hygienists
STEL: Short Term Exposure Limit

STEL: Short Term Exposure Limit
TEEL: Temporary Emergency Exposure Limit

IDLH: Immediate Danger to Life or Health Concentrations

OSF: Odour Safety Factor
NOAEL: No Observed Effects Level
TLV: Threshold Limit Value
LOD: Limit Of Detection
OTV: Odour Threshold Value
BGF: Bio Concentration Factors
BEI: Biological Exposure Index

This document is copyright

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from Applied Products Australia Pty Ltd.