SAFETY DATA SHEET



UPHOLSTERY PLUS

APPLIED PRODUCTS AUSTRALIA PTYLTD

Catalogue number: **AP468** Version No: **2.1** Issue date: **25/03/2021**

Safety Data Sheet according to WHS and ADG requirements

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	UPHOLSTERY PLUS
Product code	AP468
Pack sizes	5L & 20L

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Premium upholstery prespray for synthetic fabrics

Details of the supplier of the safety data sheet

Registered company name	APPLIED PRODUCTS AUSTRALIA PTY LTD
Address	11 Gamma Close, Beresfield 2322 NSW Australia
Telephone	(02) 4966 5516
Website	www.actichem.com.au
Email	info@actichem.com.au

Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 1126
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable	
GHS Classification	Skin Corrosion/Irritation Category 2, Serious Eye Damage Category 1, Skin Sensitizer Category 1	
	Classification drawn from HCIS and ECHA C&L Inventory.	

Label elements

GHS label elements





SIGNAL WORD

DANGER

Hazard statement(s)

H315	Causes skin irritation	
H318	Causes serious eye damage	
H317	May cause an allergic skin reaction	

Precautionary statement(s) Prevention

P280	ear protective gloves and eye protection.	
P261	Avoid breathing mist / vapours / spray.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P264	Wash exposed skin thoroughly after handling.	

Product Code: AP468 Version No: 2.1

P305+P310+P351+P338

IF IN EYES: Immediately call a POISON CENTER or doctor. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P362+P352+P333+P313

IF ON SKIN: Take off contaminated clothing and wash before reuse. Wash with plenty of soap and water. If skin irritation or rash occurs, get medical advice / attention.

Precautionary statement(s) Storage

Not applicable

Precautionary statement(s) Disposal

Not applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
7320-34-5	<10	potassium pyrophosphate
5989-27-5	<10	<u>d-limonene</u>
9016-45-9	<10	nonylphenol, ethoxylated
111-76-2	10-<30	ethylene glycol monobutyl ether
2809-21-4	<10	hydroxyethanediphosphonic acid
151-21-3	<10	sodium lauryl sulphate
Trade secret	<10	proprietary surfactant
1300-72-7	<10	sodium xylene sulfonate

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with eyes: Obtain medical advice / attention without delay. Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If necessary, transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed.

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Fire fighting

Extinguishing media The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.					
pecial hazards arising fro	m the substrate or mixture.				

Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses Use firefighting procedures suitable for surrounding area.

DO NOT approach containers suspected to be hot.
Cool fire exposed containers with water spray from a protected location.
If safe to do so, remove containers from path of fire.
Equipment should be thoroughly decontaminated after use.

Slight hazard when exposed to heat, flame and oxidisers.

Product Code: AP468 Version No: 2.1

Fire/Explosion Hazard

Non-combustible

Not considered to be a significant fire risk.

Expansion or decomposition on heating may lead to violent rupture of containers.

Decomposes on heating and may produce toxic fumes of carbon monoxide (CO), carbon dioxide (CO2) and other pyrolysis products typical of burning organic material.

Issue Date: 25/03/2021

May emit corrosive fumes.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Minor environmental hazard - contain spillage Clean up all spills immediately.

Avoid contact with skin and eves.

Control personal contact with the substance, by using protective equipment.

Contain and absorb spill with sand, earth, inert material or vermiculite.

Wipe up.

Place in a suitable, labelled container for waste disposal.

Major Spills

PPE

Minor Spills

Minor environmental hazard - contain spillage. Control personal contact with the substance, by using protective equipment as required.

Prevent spillage from entering drains or water ways.

Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations.

Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Avoid all personal contact, including inhalation.

Wear protective clothing when risk of exposure occurs.

Use in a well-ventilated area.

Safe handling

DO NOT allow material to contact humans, exposed food or food utensils.

Avoid contact with incompatible materials.

When handling, DO NOT eat, drink or smoke.

Keep containers securely sealed when not in use.

Avoid physical damage to containers.

Other information Store away from incompatible materials.

Conditions for safe storage, including any incompatibilities.

Suitable container

Storage incompatibility

Polyethylene or polypropylene container.

Packing as recommended by manufacturer.

Check all containers are clearly labelled and free from leaks.

forms unstable peroxides in storage, unless inhibited; may polymerise

reacts with strong oxidisers and may explode or combust

is incompatible with strong acids, including acidic clays, peroxides, halogens, vinyl chloride and iodine pentafluoride

flow or agitation may generate electrostatic charges due to low conductivity.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	ethylene glycol monobutyl ether	2-Butoxvethanol	96.9 mg/m3 / 20 ppm	242 mg/m3 / 50 ppm	Not Available	Sk

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
potassium pyrophosphate	Potassium pyrophosphate; (Tetrapotassium diphosphonate)	22 mg/m3	250 mg/m3	1900 mg/m3
d-limonene	Limonene, d-	20 ppm	20 ppm	160 ppm
nonylphenol, ethoxylated	Glycols, polyethylene, mono(p-nonylphenol) ether; (Nonoxynol-9)	9.9 mg/m3	110 mg/m3	300 mg/m3
ethylene glycol monobutyl ether	2-Butoxyethanol	20 ppm	20 ppm	700 ppm
hydroxyethanediphosphonic acid	Hydroxyethylidene-1,1-diphosphonic acid, 1-; (Hydroxyethylidine bisphosphonic acid, 1-)	7.2 mg/m3	79 mg/m3	480 mg/m3
Sodium lauryl sulphate	Sodium lauryl sulphate	3.9 mg/m3	42 mg/m3	260 mg/m3

Ingredient	Original IDLH	Revised IDLH
potassium pyrophosphate	Not Available	Not Available
d-limonene	Not Available	Not Available
nonylphenol, ethoxylated	Not Available	Not Available
ethylene glycol monobutyl ether	700 ppm	700 [Unch] ppm
hydroxyethanediphosphonic acid	Not Available	Not Available
Sodium lauryl sulphate	Not available	Not available
sodium xylenesulfonate	Not available	Not available

Product Code: **AP468**Version No: **2.1**

Exposure controls	
Appropriate engineering controls	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. If ventilation is poor, then the use of a local exhaust ventilation system is recommended.
Personal protection	
Eye and face protection	Safety glasses with side shields OR Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation Lens should be removed in a clean environment only after workers have washed hands thoroughly.
Skin protection	See Hand protection below
Hands/feet protection	Wear chemical protective gloves, e.g. PVC. NOTE: The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact. Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.
Body protection	See Other protection below
Other protection	Overalls. P.V.C. apron. Barrier cream. Skin cleansing cream. Eye wash unit.
Thermal hazards	Not Available

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Clear yellow liquid		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Lemon citrus	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	9.8	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit(%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7		
Chemical stability	duct is considered stable and hazardous polymerisation will not occur.		
Possibility of hazardous reactions	See section 7		
Conditions to avoid	See section 7		
Incompatible materials	See section 7		
Hazardous decomposition products	See section 5		

Product Code: **AP468** Version No: **2.1**

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational
Ingestion	The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. This is because of the lack of corroborating animal or human evidence.
Skin Contact	This material can cause inflammation of the skin on contact in some persons. The material may accentuate any pre-existing dermatitis condition. Skin contact is not thought to have harmful health effects (as classified under EC Directives). Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	This material can cause eye irritation and damage in some persons.
Chronic	Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population.

Toxicological effects of ingredients

tetrapotassium	Acute toxicity	Oral LD50 (rabbit) >1000 mg/kg Dermal LD50 (rabbit) >4640 mg/kg
pyrophosphate	Skin corrosion/irritation	Causes skin irritation. Irritation is likely to be more severe if the skin is moist or wet
	Eye damage/irritation	Causes serious eye irritation
	Respiratory/skin sensitization	EU/CLP • Classification criteria not met
	Germ cell mutagenicity	EU/CLP • Classification criteria not met
	Carcinogenicity	Does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as probable or suspected human carcinogens
	Reproductive toxicity	EU/CLP • Classification criteria not met
	STOT (single exposure)	EU/CLP • Classification criteria not met
	STOT (repeated exposure)	EU/CLP • Classification criteria not met
	Aspiration toxicity	EU/CLP • Classification criteria not met
d-limonene	Acute toxicity	Oral LD50 (rat) 4400 mg/kg Dermal LD50 (rabbit) >5000 mg/kg
	Skin corrosion/irritation	Causes skin irritation
	Eye damage/irritation	Causes serious eye irritation
	Respiratory/skin sensitization	May cause an allergic skin reaction
	Germ cell mutagenicity	No data available
	Carcinogenicity	No data available
	Reproductive toxicity	No data available
	STOT (single exposure)	No data available
	STOT (repeated exposure)	No data available
	Aspiration toxicity	May be fatal if swallowed and enters airways
nylphenol ethoxylated	Acute toxicity	Oral LD50 (mouse) 4290 mg/kg
nyiphonor curoxyluted	Skin corrosion/irritation	moderate to severe irritation.
	Eye damage/irritation	moderate to severe irritation
	Respiratory/skin sensitization	Not sensitizing
	Germ cell mutagenicity	Not genotoxic
	Carcinogenicity	No Data Available
	Reproductive toxicity	No Data Available
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available
lene glycol monobutyl	Acute toxicity	Oral LD50 (guinea pig) 1414 mg/kg Dermal LD50 (guinea pig) >2000 mg/kg Inhalation LC0 >3.1 mg/l>641 ppm 1h
ether	Skin corrosion/irritation	Causes skin irritation.
	Eye damage/irritation	Causes serious eye irritation.
	Respiratory/skin sensitization	Not classified No study available.
	Germ cell mutagenicity	Not classified
	Carcinogenicity	Not classified
	Reproductive toxicity	Not classified
	STOT (single exposure)	High concentrations may cause central nervous system depression
	STOT (repeated exposure)	Based on repeated exposure toxicity values, not classified
	Aspiration toxicity	Based on physico-chemical values or lack of human evidence. Not classified
hydroxyethane-	Acute toxicity	Oral LD50 (Rats): 1,440 - 3,550 mg/kg - (Mice): 1,100 mg/kg
diphosphonic acid	Skin corrosion/irritation	Causes severe skin burns
	Eye damage/irritation	Causes serious eye damage
	Respiratory/skin sensitization	No information available
	Germ cell mutagenicity	Not considered to be genotoxic
	Carcinogenicity	No information available
	Reproductive toxicity	Not considered to cause reproductive or developmental toxicity
	STOT (single exposure)	Inhalation may cause burning of the nose and throat, nausea, vomiting and diarrhoea
	STOT (repeated exposure)	No information available
	Aspiration toxicity	No information available
a alima lamad ambabata		Out I Dec (va) ATT and a Demot I Dec (vi I i) Fee and a
sodium lauryl sulphate	Acute toxicity	Oral LD50 (rat) 977 mg/kg Dermal LD50 (rabbit) 580 mg/kg
	Skin corrosion/irritation	Rabbit, 4 hour patch test, 25%: Strong erythema and edema (Data on sodium dodecyl sulfate)(48)
	Eye damage/irritation	Rabbit, Draize test, 20%: Strongly irritating (Data on sodium dodecyl sulfate)(48)
	Respiratory/skin sensitization	Guinea pig, Buehler Test: Negative (Data on sodium dodecyl sulfate)(48)
	Germ cell mutagenicity	Ames test (TA98, TA100, WP2try-): Negative / Rec-assay (H17, M45): Negative
	A	
	Carcinogenicity	AS (Alcohol Sulphates) are not carcinogenic
	Reproductive toxicity	No Data Available

Product Code: **AP468** Version No: **2.1**

proprietary surfactant	Acute toxicity	Oral LD50 (rat) 2546 mg/kg
	Skin corrosion/irritation	Causes skin irritation
	Eye damage/irritation	Causes serious eye irritation
	Respiratory/skin sensitization	Not a skin sensitizer based on components
	Germ cell mutagenicity	There is no data available
	Carcinogenicity	No components are listed as carcinogens by IARC, ACGIH, OSHA or NTP above the threshold of 0.1%
	Reproductive toxicity	There is no data available
	STOT (single exposure)	There is no data available
	STOT (repeated exposure)	There is no data available
	Aspiration toxicity	There is no data available
sodium xylenesulfonate	Acute toxicity	Oral LD50 (rat) 1000 mg/kg
	Skin corrosion/irritation	May be irritating to skin
	Eye damage/irritation	Causes serious eye irritation
	Respiratory/skin sensitization	Prolonged or repeated skin contact may lead to allergic contact dermatitis and sensitization in some individuals
	Germ cell mutagenicity	Not considered to be a mutagenic hazard
	Carcinogenicity	Not considered to be a carcinogenic hazard
	Reproductive toxicity	Not considered to be toxic to reproduction
	STOT (single exposure)	Not expected to cause toxicity to a specific organ
	STOT (repeated exposure)	Not expected to cause toxicity to a specific organ
	Aspiration toxicity	Not expected to be a aspiration hazard

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

	Endpoint	Duration (Hr.)	Species	Value
potassium pyrophosphate	LC50	96	Fish	>100mg/L
	EC50	48	Crustacea	>100mg/L
	EC50	72	Algae or other aquatic plants	>100mg/L
	NOEC	72	Algae or other aquatic plants	>100mg/L
d-limonene	LC50	96	Fish	0.46mg/L
	EC50	48	Crustacea	0.307mg/L
	EC50	72	Algae or other aquatic plants	0.214mg/L
	NOEC	0	Algae or other aquatic plants	<0.05-1.5mg/L
nonylphenol ethoxylated	NOEC	36.5	Fish	0.0001-mg/L
ethylene glycol monobutyl	LC50	96	Fish	1-250mg/L
ether	EC50	48	Crustacea	>1-mg/L
	EC50	96	Algae or other aquatic plants	>1-mg/L
	NOEC	24	Crustacea	>1-mg/L
nydroxyethanediphosphonic	LC50	96	Fish	195mg/L
acid	EC50	48	Crustacea	409mg/L
	EC50	96	Algae or other aquatic plants	3mg/L
	EC0	24	Crustacea	=39.6mg/L
	NOEC	504	Crustacea	0.1mg/L
sodium lauryl sulphate	LC50	96	Fish	0.59-mg/L
	EC50	48	Crustacea	=0.939mg/L
	EC50	96	Algae or other aquatic plants	-0.4-3.7mg/L
	BCF	1	Fish	0.85-mg/L
	EC15	Not coded	Not Available	-0.05-0.25mg/L
	NOEC	0.08	Fish	0.0000013-mg/L
proprietary surfactant	LC50	96	Rainbow trout	32.15 mg/L
sodium xylenesulfonate	LC50	96	Fish	>1-mg/L
	EC50	48	Crustacea	>1-mg/L
	EC50	96	Algae or other aquatic plants	>=230mg/L
	NOEC	504	Crustacea	<30mg/L

On the basis of available evidence concerning either toxicity, persistence, potential to accumulate and or observed environmental fate and behaviour, the material may present a danger, immediate or long-term and /or delayed, to the structure and/ or functioning of natural ecosystems.

Harmful to aquatic organisms. **DO NOT** discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
d-limonene	HIGH	HIGH
nonylphenol, ethoxylated	LOW	LOW
ethylene glycol monobutyl ether	LOW (Half-life = 56 days)	LOW (Half-life = 1.37 days)
sodium lauryl sulfate	HIGH	HIGH

Product Code: AP468 Version No: 2.1

Bio accumulative potential

Ingredient	Bioaccumulation
d-limonene	HIGH (LogKOW = 4.8275)
nonylphenol, ethoxylated	LOW (BCF = 16)
ethylene glycol monobutyl ether	LOW (BCF = 2.51)
sodium lauryl sulfate	LOW (BCF = 7.15)

Mobility in soil

Ingredient	Mobility
d-limonene	LOW (KOC = 1324)
nonylphenol, ethoxylated	LOW (KOC = 940)
ethylene glycol monobutyl ether	HIGH (KOC = 1)
sodium lauryl sulfate	LOW (KOC = 10220)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / packaging disposal

Recycle containers whenever possible

Product residues and containers should be disposed of in accordance with local government regulations

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

POTASSIUM PYROPHOSPHATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australian Inventory of Industrial Chemicals (AIIC)

D-LIMONENE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

NONYLPHENOL, ETHOXYLATED IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6

ETHYLENE GLYCOL MONOBUTYL ETHER IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) - Agents classified by AIRC monographs

HYDROXYETHANEDIPHOSPHONIC ACID IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4

Australian Inventory of Industrial Chemicals (AIIC)

SODIUM LAURYL SULFATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australian Inventory of Industrial Chemicals (AIIC)

SODIUM XYLENESULFONATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australian Inventory of Industrial Chemicals (AIIC)

SECTION 16 OTHER INFORMATION

Revision Schedule

Revision Date	25/03/2021	
Initial Date	08/12/2016	

SDS Version Summary

Version	Issue Date	Sections Updated
2.1	25/03/2021	Sections 2, 3, 11, 12, 15, 16 have been updated or corrected

Page 8 of 8

UPHOLSTERY PLUS Product Code: AP468 Issue Date: 25/03/2021 Version No: 2.1

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources such as the ECHA C&L Chemical Inventory, HSNO (CCID) New Zealand, AICIS and HCIS Australia

DISCLAIMER: While the information in this Safety Data Sheet (SDS) is believed to be true and accurate based on the current level of knowledge available to us, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of APPLIED PRODUCTS AUSTRALIA PTY LTD and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures, or processes.

Definitions and abbreviations

PC-TWA; Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer ACGIH: American Conference of Government Industrial Hygienists

STEL: Short Term Exposure Limit

Temporary Emergency Exposure Limit

IDLH: Immediate Danger to Life or Health Concentrations

Odour Safety Factor NOAEL: No Observed Effects Level Threshold Limit Value Limit Of Detection LOD: Odour Threshold Value BCF: Bio Concentration Factors Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from Applied Products Australia Pty Ltd.

End of SDS