



NT 22/1 AP BP L

Compact and versatile battery powered wet and dry vacuum cleaner NT 22/1 Ap Bp for demanding wet and dry applications at locations without an external power supply. With space-saving flat pleated filter.









Order No.


1.528-130.0

- Dust class L certification
- Efficient semi-automatic filter cleaning
- Flat pleated filter with filter casing

Technical data		
EAN code		4054278672328
Battery platform		36 V battery platform
Container capacity	Litre	22
Container material		Plastic
Sound pressure level	Decibel	70
Air flow	Litres per second	57
Vacuum	Millibar / Kilopascal	152 / 15.2
Rated input power	Watt	Maximum 575
Standard nominal width		DN 35
Number of batteries required	Unit	1
Performance per battery charge	Square metre	Approx. 150 (7.5 Ah)
Runtime per battery charging	Minute	Maximum 31 (7.5 Ah) / Maximum 24 (6.0 Ah)
Battery charge time	Minute	58 / 81
Charging current	Ampere	6
Power supply for battery charger	Volt / Hertz	100 - 240 / 50 - 60
Weight without accessories	Kilogram	8.8
Weight incl. packaging	Kilogram	11.133
Dimensions (L × W × H)	Millimetre	401 × 372 × 499

_		
Equipment		
Variant		Battery and charger not included
Suction hose	Metre	1.9 / with bend
Suction Tube	Unit × Milli metre	2 × 505 / Plastic
Filter bag		Fleece
Wet and dry floor tool	Millimetre	300
Crevice nozzle		
Auto shutdown when max. level is reached		•
Flat pleated filter		Paper
Filter cleaning		Semi-automatic filter cleaning Ap
Protection class		III
Included in delivery.		

KARCHER





Powerful 36 V Kärcher Battery Power+battery with 7.5 Ah capacity

Ensures a long runtime of 31 minutes at full suction power.



Effective protection cover for the battery bay

■ Protects the battery from dirt and moisture. With viewing window.



Semi-automatic filter cleaning

- Semi-automatic filter cleaning guarantees constantly high suction power.
- The positioning of the Ap cleaning button simplifies handling.



KARCHER

EQUIPMENT FOR NT 22/1 AP BP L















		Order No.	Description			
SUCTION NOZZLES				Ė		
Crevice nozzles						
Crevice nozzle wet and dry packaged NW35	1	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.			
Car cleaning nozzles						
Car nozzle, DN 35, 90 Millimetre	2	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kårcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	[
SUCTION TUBES						
Suction tubes plastic						
Suction tube, 2 x, HV and NT, DN 35, 505 mm long, plastic, suitable for: HV $1/1$ Bp, NT $22/1$, NT $27/1$, NT $48/1$, ProNT 600 L	3	2.889-218.0	Plastic suction tube set, NW 35, grey, 2 -part, each 0.5 metres.	1		
Suction tubes metal						
Suction tube, DN 35, 505 mm long, chrome-plated steel, suitable for: T 7/1, T 10/1 T 12/1, NT 22/1, NT 30/1, NT 40/1, NT 50/1, NT 65/2	4	6.902-074.0	Chrome-plated steel suction tube for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners, nominal width DN 35 and 505 mm long.	[
BATTERY				Ť		
Battery Power+ 36/75	5	2.445-043.0	A capacity of 7.5 Ah guarantees long runtimes for the Battery Power+ 36 V lithium-ion battery. Very powerful, with Real Time Technology via LCD display and protection against overcurrent.	[
Battery Power+ 36/60	6	2.042-022.0	Extremely powerful Battery Power+ 36 V lithium-ion battery with a capacity of 6.0 Ah for a long runtime. With innovative Real Time Technology via LCD display and voltage monitoring.			
SUCTION HOSES						
Suction hoses with clip system 2.0 (compatible	with	vacuum cleane	rs from model year 2017 on)			
Hose packaged NW35 2.5m	7	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.			

■ Included in delivery.

□ Available accessories.

CONTACT US

The Experts in Cleaning Equipment



- +61 9249 8744
- ccequipment.com.au
- info@ccequipment.com.au
- 4 STANFORD WAY, MALAGA WESTERN AUSTRALIA 6090 PO BOX 2438 MALAGA WESTERN AUSTRALIA 6944 ABN: 53 780 286 266