

## HDS 5/11 UX

Competitively priced entry class model of a hot water high-pressure cleaner. Innovative "Upright"-Design ensures good mobility and ergonomics. Very user-friendly due to one-button-operation and integrated hose and accessory stowage.



Made in Germany



- Professional entry-level model for mobile applications
- Innovative, space-saving upright design
- Flue gas temperature monitor

### Technical data

<b>EAN code</b>		4054278139760
<b>Type of current</b>	<b>Phases / Volt / Hertz</b>	1 / 230 / 50
<b>Flow rate</b>	<b>Litres per hour</b>	450
<b>Operating pressure</b>	<b>Bar / Mega pascal</b>	110 / 11
<b>Temperature</b>	<b>Celsius</b>	Maximum 80
<b>Power rating</b>	<b>Kilowatt</b>	2.2
<b>Fuel oil consumption, full load</b>	<b>Kilograms per hour</b>	2.4
<b>Fuel tank</b>	<b>Litre</b>	6.5
<b>Weight (with accessories)</b>	<b>Kilogram</b>	67.4
<b>Weight incl. packaging</b>	<b>Kilogram</b>	76.6
<b>Dimensions (L × W × H)</b>	<b>Millimetre</b>	618 × 1163 × 994

### Equipment

<b>Trigger gun</b>		EASY!Force Advanced
<b>High-pressure hose</b>	<b>Metre</b>	15
<b>Spray lance</b>	<b>Millimetre</b>	840
<b>Integral high-pressure hose reel</b>		■
<b>Pressure cut-off</b>		■

■ included in delivery.

**KÄRCHER**



**Integrated hose reel**

- Convenient, secure pressure hose storage.
- Ensures ergonomic operation.
- Reduced setup times.



**Innovative upright design**

- Effortless transport over landings or stairs.
- Large wheels for unpaved surfaces.



**Fine-mesh water filter**

- Efficiently protects high-pressure pump against contamination.
- Easy to remove from outside.

## EQUIPMENT FOR HDS 5/11 UX



		Order No.	Description	
<b>TRIGGER GUNS</b>				
EASY!Force Advanced	1	4.118-005.0	Effortless, not energy-sapping: the EASY!Force high-pressure gun uses the recoil force of the high-pressure jet to reduce the holding force for the operator to zero.	■
Conversion kit 1 from high pressure hose	2	4.111-050.0	For retrofitting Kärcher high-pressure cleaners with existing high-pressure hose: EASY!Force conversion kit 1 with EASY!Force high-pressure gun, spray lance and all adapters through to the nozzle.	□
Conversion kit 2 from device	3	4.111-051.0	Developed for retrofitting existing high-pressure cleaners from Kärcher: EASY!Force conversion kit 2 with EASY!Force high-pressure gun, spray lance, high-pressure hose and necessary adapters.	□
<b>SPRAY LANCES</b>				
<b>Rotating spray lances</b>				
Spray lance, 840 Millimetre, rotatable	4	4.112-006.0	850 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.	■
Spray lance, 600 Millimetre, rotatable	5	4.112-007.0	600 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.	□
Spray lance, 1050 Millimetre, rotatable	6	4.112-000.0	1050 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.	□
Spray lance, 1550 Millimetre, rotatable	7	4.112-018.0	1550 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.	□
Spray lance, 2050 Millimetre, rotatable	8	4.112-021.0	2050 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.	□
<b>HIGH-PRESSURE HOSES</b>				
<b>Standard</b>				
High-pressure hose, 15 Metre, DN 6, 250 Bar, 1 × EASY!Lock / 1 × AVS-hose reel connection	9	6.110-036.0	15 m high-pressure hose with patented (rotating) AVS trigger gun connector and nipple connector for hose reel.	■
<b>Standard with unions on both sides</b>				
High-pressure hose, 10 Metre, DN 6, 300 Bar, 2 × EASY!Lock	10	6.110-056.0	High-pressure hose (DN 6) equipped with ANTI!Twist and the new EASY!Lock manual screw fitting on both sides. For pressures up to 300 bar. 10 m long.	□
High-pressure hose, 10 Metre, DN 8, 315 Bar, 2 × EASY!Lock	11	6.110-031.0	High-pressure hose (DN 8) suitable up to 315 bar pressure. With innovative EASY!Lock manual screw fitting on both sides, ANTI!Twist and 10 m long.	□
High-pressure hose, 15 Metre, DN 8, 315 Bar, 2 × EASY!Lock	12	6.110-030.0	15 m long high-pressure hose, DN 8, with ANTI!Twist and time-saving EASY!Lock manual screw fitting on both sides.	□
High-pressure hose, 20 Metre, DN 8, 315 Bar, 2 × EASY!Lock	13	6.110-032.0	20 m long high-pressure hose (DN 8) equipped with the time-saving and robust EASY!Lock manual screw fitting on both sides. Approved for pressures up to 315 bar.	□
<b>Longlife 400 with unions on both sides</b>				
High-pressure hose Longlife, 20 Metre, DN 8, 400 Bar, 2 × EASY!Lock	14	6.110-027.0	High-pressure hose with ANTI!Twist, EASY!Lock manual screw fittings and double steel core. 20 m long, nominal size DN 8, EASY!Lock manual screw fitting on both sides.	□

■ Included in delivery. □ Available accessories.

## CONTACT US

The Experts in Cleaning Equipment



- +61 9249 8744
- ccequipment.com.au
- info@ccequipment.com.au
- 4 STANFORD WAY, MALAGA WESTERN AUSTRALIA 6090  
PO BOX 2438 MALAGA WESTERN AUSTRALIA 6944  
ABN: 53 780 286 266